







(UPPER TIER)

LEAD START	LEAD END	BOND NUMBER
0.0162	0.0256	1 32 33 64 65 96 97 128
0.0302	0.0397	2 31 34 63 66 95 98 127
0.0443	0.0537	3 30 35 62 67 94 99 126
0.0583	0.0680	4 29 36 61 68 93 100 125
0.0726	0.0823	5 28 37 60 69 92 101 124
0.0870	0.0968	6 27 38 59 70 91 102 123
0.1016	0.1115	7 26 39 58 71 90 103 122
0.1163	0.1263	8 25 40 57 72 89 104 121
0.1312	0.1415	9 24 41 56 73 88 105 120
0.1465	0.1569	10 23 42 55 74 87 106 119
0.1619	0.1724	11 22 43 54 75 86 107 118
0.1777	0.1885	12 21 44 53 76 85 108 117
0.1937	0.2048	13 20 45 52 77 84 109 116
0.2102	0.2215	14 19 46 51 78 83 110 115
0.2271	0.2386	15 18 47 50 79 82 111 114
0.2444	0.2562	16 17 48 49 80 81 112 113

(LOWER TIER)

LEAD START	LEAD END	BOND NUMBER
0.0038	0.0157	501 508 515 522
0.0082	0.0278	407 415 422 428
0.0203	0.0399	401 408 414 421
0.0324	0.0894	507 516 523 528
0.0445	0.0894	502 509 514 521
0.0942	0.1151	402 406 409 413 416 420 423 427
0.1200	0.1691	503 506 510 513 517 520 524 527
0.1744	0.1979	403 405 410 412 417 419 424 426
0.2034	0.2281	504 505 511 512 518 519 525 526
0.2335	0.2335	404 411 418 425

(LOWER TIER) (UPPER TIER)  
CORNER B/F PADS

MODIFICATIONS					NWE 144 LEAD FLAT PACK. (500SQ. CAV.)	TO FINISHES: JES-3000-1000	DRAWN	CHECKED	APPROVED	DATE
	REDRAW	7-17-89	T-005-MKO	S-M	T-T	Y-S	T.T	S.M/T.O.	Y.S	6-28-89
	CHANGE				SCALE 10 / 1	MATERIAL	7600000			
					KYOCERA		KYOCERA CORPORATION KYOTO JAPAN			