


NOTES:

1. ALL EXPOSED METALLIZED AND PINS SHALL BE GOLD PLATED 60 MICRO INCHES MIN. THICK OVER NICKEL PLATING UNLESS OTHERWISE SPECIFIED IN PURCHASE ORDER.
2. SEAL AREA AND DIE ATTACH AREA SHALL BE ISOLATED FROM ANY LEADS. (ZERO GROUND)

MODIFICATIONS				NAME: 121 PGA (.670 SQ. CAV.)				TOLERANCES: UNLESS OTHERWISE SPECIFIED		DRAWN CHECKED APPROVED DATE			
△	ADD : DIMENSION	03.10.'89	K.A	H.M	SCALE	5 / 1	MATERIAL	± .005	S.M	UE	K.H	M.S	MAR.04.'99
△	ADD : CHAMFER	11.21.'88	M.N	K.I			KYOCERA A-440	THIRD ANGLE PROJECTION					
△	CHG : PATTERN (4/6-6/6)	11.28.'87	M.N	N.U									
	CHANGE	DATE	DRAWN	CHECKED	APPROVED			KYOCERA CORPORATION KYOTO JAPAN	DRAWING NO.		PB-P87645-C		SHEET 1 / 3

WFO-121PZ



2 PA

MODIFICATIONS					NAME	121 PGA (.670 SQ. CAV.)	TOLERANCES: UNLESS OTHERWISE SPECIFIED	DRAWN	CHECKED	APPROVED	DATE	
					SCALE	8 / 1	± .005	S.M	U.E	K.H	M.S	MAR.04.'99
	▲ CHG : PATTERN (4/6-6/6)	11.28.'87	M.N	N.U		MATERIAL	KYOCERA A-440	THIRD ANGLE PROJECTION				
	CHANGE	DATE	DRAWN	CHECKED	APPROVED	KYOCERA	KYOCERA CORPORATION KYOTO JAPAN	DRAWING NO.	PB-P87645-C		SHEET 2 / 3	

WIRE BOND PAD CONNECTOR PIN INTERCONNECTION PLAN

BONDING PAD No.	PIN No.	BONDING PAD No.	PIN No.	BONDING PAD No.	PIN No.	BONDING PAD No.	PIN No.
1	C3	31	L3	61	L11	91	C11
2	B2	32	M2	62	M12	92	B12
3	B1	33	N2	63	M13	93	A12
4	D3	34	L4	64	K11	94	C10
5	C2	35	M3	65	L12	95	B11
6	C1	36	N3	66	L13	96	A11
7	D2	37	M4	67	K12	97	B10
8	E3	38	L5	68	J11	98	C9
9	D1	39	N4	69	K13	99	A10
10	F2	40	M5	70	J12	100	B9
11	E1	41	N5	71	J13	101	A9
12	F3	42	L6	72	H11	102	C8
13	F2	43	M6	73	H12	103	B8
14	F1	44	N6	74	H13	104	A8
15	G2	45	M7	75	G12	105	B7
16	G3	46	L7	76	G11	106	C7
17	G1	47	N7	77	G13	107	A7
18	H1	48	N8	78	F13	108	A6
19	H2	49	M8	79	F12	109	B6
20	H3	50	L8	80	F11	110	C6
21	J1	51	N9	81	F13	111	A5
22	J2	52	M9	82	E12	112	B5
23	K1	53	N10	83	D13	113	A4
24	J3	54	L9	84	E11	114	C5
25	K2	55	M10	85	D12	115	B4
26	L1	56	N11	86	C13	116	A3
27	M1	57	N12	87	B13	117	A2
28	K3	58	L10	88	D11	118	C4
29	L2	59	M11	89	C12	119	B3
30	N1	60	N13	90	A13	120	A1

MODIFICATIONS					NAME: 121 PGA (.670 SQ. CAV.)	TOLERANCES: UNLESS OTHERWISE SPECIFIED	DRAWN	CHECKED	APPROVED	DATE	
					SCALE: /	MATERIAL: _____	S.M	UE	K.H	M.N	MAR.04.'99
						THIRD ANGLE PROJECTION					
		CHANGE	DATE	DRAWN	CHECKED	APPROVED	DRAWING NO. PB-P87645-C		SHEET 3/3		



KYOCERA CORPORATION
KYOTO JAPAN